


Provided for non-commercial research and educational use.  
Not for reproduction, distribution or commercial use.

This article was originally published in the *Encyclopedia of the Anthropocene* published by Elsevier, and the attached copy is provided by Elsevier for the author's benefit and for the benefit of the author's institution, for non-commercial research and educational use including without limitation use in instruction at your institution, sending it to specific colleagues who you know, and providing a copy to your institution's administrator.



All other uses, reproduction and distribution, including without limitation commercial reprints, selling or licensing copies or access, or posting on open internet sites, your personal or institution's website or repository, are prohibited. For exceptions, permission may be sought for such use through Elsevier's permissions site at:

<http://www.elsevier.com/locate/permissionusematerial>

Rohr J.R. (2018) Atrazine and Amphibians: A Story of Profits, Controversy, and Animus. In: Dominick A. DellaSala, and Michael I. Goldstein (eds.) *The Encyclopedia of the Anthropocene*, vol. 5, p. 141-148. Oxford: Elsevier.

© 2018 Elsevier Inc. All rights reserved.

## Atrazine and Amphibians: A Story of Profits, Controversy, and Animus

JR Rohr, University of South Florida, Tampa, FL, United States

© 2018 Elsevier Inc. All rights reserved.

### Introduction

The herbicide atrazine (2-chloro-4-(ethylamino)-6-(isopropylamino)-S-triazine) is one of the most widely studied, commonly used, and controversial pesticides on the planet. A search for the term “atrazine” in the search engine Web of Science (conducted on 11/17/2016) produced 11,203 studies. Atrazine was the most commonly used pesticide in the United States before it was recently surpassed by the herbicide glyphosate (Roundup®), which happened because of the advent of genetically modified crops (Grube et al., 2011). Syngenta Crop Protection, Inc., the company that produces atrazine, earns approximately \$2.5 billion annually from its selective herbicides, of which atrazine is their leading product. Because of its heavy use, as well as its persistence and mobility, atrazine is one of the most common chemical contaminants of freshwater and thus is regularly found in habitats where many freshwater vertebrates, such as fish and amphibians, develop (Rohr et al., 2003; Knutson et al., 2004). Consequently, there has been considerable interest in the effects of atrazine on freshwater vertebrates (e.g., Solomon et al., 2008; Rohr and McCoy, 2010b), particularly amphibians because of their permeable skin and global declines (Rohr et al., 2008a, 2015; Wake and Vredenburg, 2008; Rohr and Raffel, 2010; Liu et al., 2013; Raffel et al., 2013). Research on the effects of atrazine on amphibians, however, has been highly contentious. Here, I briefly review the effects of atrazine on amphibians followed by a timeline of the some of the most salient moments in the history of the atrazine-amphibian controversy.


### A Brief Review of the Effects of Atrazine on Amphibians

Atrazine has a variety of effects on freshwater organisms, including fish and amphibians. For example, atrazine has been reported to affect amphibian behaviors crucial for foraging, predator avoidance (Rohr et al., 2003, 2004, 2009), and desiccation resistance (Rohr and Palmer, 2005, 2013). It also impacts growth and timing of metamorphosis (Larson et al., 1998; Allran and Karasov, 2000, 2001; Boone and James, 2003; Rohr et al., 2004; Forson and Storfer, 2006a,b).

Given considerable interests in the role of physiology to vertebrate survival and conservation (Martin et al., 2010; Rohr et al., 2013b; Madliger et al., 2016), there have been numerous studies on the effects of atrazine on physiology. For example, several studies have investigated atrazine as an “infodisruptor,” defined as a chemical contaminant that disrupts communication within or among organisms, including contaminants that breakdown or interfere with detection or production of chemical signals between senders and receivers or those that affect cell-to-cell communication within organisms (e.g., endocrine disruptors) (Lurling and Scheffer, 2007; Rohr et al., 2009). Several studies have shown that atrazine can reduce chemical detection of cues from predators and mates (Moore and Waring, 1998; Tierney et al., 2007; Ehrsam et al., 2016) and others have shown that it can affect cell-to-cell communication by altering hormones, such as stress hormones (Gabor et al., 2016; McMahan et al., 2017), thyroid hormones (Larson et al., 1998), and sex hormones (Hayes et al., 2003; Hayes, 2003). Given that much of the controversy regarding atrazine and amphibians involves its effects on amphibian sex hormones and gonadal development, this topic will be discussed in more detail in the “A Timeline of the Atrazine-Amphibian Controversy” section.

Interest in chemical contaminants causing nonmonotonic dose-responses (those with a change in the direction of the slope) (Welshons et al., 2003; McMahan et al., 2011, 2013; Vandenberg et al., 2012) has triggered several researchers to examine whether atrazine causes linear or nonlinear dose-responses. Researchers have detected nonmonotonic dose-responses on several amphibian hormones, including corticosterone, thyroid hormone, and sex hormones (Larson et al., 1998; Hayes et al., 2003; Hayes, 2003; Fan et al., 2007; McMahan et al., 2017). Atrazine also regularly has nonmonotonic effects on the timing of metamorphosis (Rohr and McCoy, 2010b). Although responses on other endpoints have not produced nonmonotonic dose-responses as regularly, they have regularly produced logarithmic dose-responses, where the greatest change in response occurs at low exposure concentrations (Rohr et al., 2004, 2006b, 2013c; McMahan et al., 2013), supporting the potency of low concentrations of atrazine.

Given that many factors have been documented to affect amphibian diseases that have been linked to amphibian declines (Li et al., 2013; Liu et al., 2013; Rohr et al., 2013b; McMahan et al., 2014; Venesky et al., 2014b), interest has grown in the role that atrazine might have on amphibian immunity and infections. Much of this interest accelerated in 2002 after Kiesecker (2002) revealed that atrazine exposure was associated with reduced amphibian immunity and increased trematode infections and the limb malformations they cause. Since then, Rohr and colleagues have found additional support for the immunosuppressive effects of atrazine and increases in trematode infections (Rohr et al., 2008b,c, 2015; Raffel et al., 2009; Schotthoefer et al., 2011). Additionally, they showed that atrazine increases exposure to trematodes by reducing phytoplankton. This, in turn, reduces shading and increases the abundance of periphyton, the food source for snails, which are the intermediate host of trematodes (Rohr et al., 2008c; Raffel et al., 2010; Staley et al., 2010, 2011; Halstead et al., 2014). Additionally, Syngenta-funded authors have also found support for atrazine increasing snail abundance (Herman et al., 1986; Baxter et al., 2011), as documented by Rohr et al. (2012) and as shown in Fig. 1. Atrazine exposure, either alone or in mixtures with other chemicals, has also been associated with reduced immunity and



**Fig. 1** The population growth rate of snails in outdoor mesocosms containing 0, 1, 10, 100 µg/L of atrazine in the Syngenta-funded study by Baxter et al. (2011). Growth rates are calculated for the exponential phase until a carrying capacity or decline in growth occurred. The 30 µg/L treatment was excluded because it did not show the same spatial blocking patterns in dissolved oxygen as the other treatments (see Rohr et al., 2012).

increased amphibian viral, flatworm, and roundworm infections (Gendron et al., 1997; Forson and Storfer, 2006a,b; Hayes et al., 2006; Kerby and Storfer, 2009; Koprivnikar, 2010). Recently, atrazine exposure was shown to reduce tolerance of chytrid fungal infections that are associated with worldwide amphibian declines (Rohr et al., 2013c). Tolerance is defined as the ability of hosts to reduce damage caused by parasites (Rohr et al., 2010; Sears et al., 2013, 2015). In a 2010 review (Rohr and McCoy, 2010b), atrazine exposure was associated with a reduction in 33 of 43 immune function endpoints and with an increase in 13 of 16 infection endpoints. These numbers were an underestimate (Langerveld et al., 2009) and have increased since this review was published (e.g., Koprivnikar, 2010; Rohr et al., 2013c).

The documented positive relationship between biodiversity and ecosystem functions and services, such as pest and disease control, primary production, and clean water (Dobson et al., 2006; McMahon et al., 2012; Staley et al., 2014; Venesky et al., 2014a; Civitello et al., 2015; Cohen et al., 2016; De Laender et al., 2016) and the importance of indirect effects of chemicals mediated by species interactions (Rohr et al., 2006a; Clements and Rohr, 2009; Halstead et al., 2014; Douglas et al., 2015; Staley et al., 2015) has prompted several researchers to study the effects of atrazine on freshwater communities containing amphibians rather than on isolated amphibian species (de Noyelles et al., 1989; Boone and James, 2003; Rohr and Crumrine, 2005; Rohr et al., 2008c; Halstead et al., 2014). Many of these studies report alterations of amphibian growth and abundance that seem to be caused by atrazine-induced changes in photosynthetic organisms. At ecologically relevant concentrations, atrazine is expected to have a bevy of indirect effects by altering the abundance of phytoplankton, macrophytes (Herman et al., 1986), and photosynthetic and nonphotosynthetic organisms in periphyton (Staley et al., 2010, 2011, 2012, 2015), the latter of which is a primary food source for many tadpole species. However, few of the studies focusing on atrazine and freshwater communities containing amphibians distinguish between direct and indirect effects of atrazine.

Although atrazine generally does not directly cause amphibian mortality at ecologically relevant concentrations (Solomon et al., 2008; Rohr and McCoy, 2010b), there are some studies that suggest that it might increase mortality through indirect effects, such as those described in the previous infectious disease paragraph. Others suggest that there might be delayed or persistent effects of atrazine on behavior and physiology that can increase mortality risk (Storrs and Kiesecker, 2004; Rohr and Palmer, 2005, 2013; Rohr and McCoy, 2010b).

One of the biggest concerns regarding the effects of atrazine on amphibians is that atrazine regularly interacts with other stressors commonly experienced by amphibians, either additively or synergistically. For example, particular climatic conditions, such as increased drying (Rohr et al., 2004; Rohr and Palmer, 2005, 2013) and particular biotic conditions, such as parasitism (Rohr and McCoy, 2010b) and predation risk (Rohr and Crumrine, 2005; Ehram et al., 2016) can be worsened by atrazine. Atrazine also additively or synergistically interacts with other common agrochemicals (Rohr et al., 2008c; Halstead et al., 2014). The exception is that global warming will accelerate amphibian development and thus reduce aquatic exposure to atrazine (Rohr et al., 2011). Clearly, there is a need to understand how climate change will affect exposure and toxicity of atrazine and other chemical contaminants (Rohr et al., 2013a; Landis et al., 2014). Nevertheless, interactions among chemical contaminants or between chemical contaminants and nonchemical stressors are unfortunately rarely considered in most ecological risk assessments of chemicals (Rohr et al., 2016).

## A Timeline of the Atrazine-Amphibian Controversy

### The Early Years

The atrazine-amphibian controversy all began in 1998, when Dr. Tyrone Hayes, a biology professor at the University of California at Berkeley, was hired by EcoRisk Inc., the consulting company that hired several academic scientists to study atrazine on behalf of

Syngenta Crop Protection, Inc. The contract covering Dr. Hayes' research, and that of many of the other scientists Syngenta and EcoRisk hired, made clear that Syngenta retained final say over what and whether the scientists could publish. In November of 2000, Hayes quit Syngenta because the company supposedly prevented him from publishing his research showing that levels of atrazine, below the drinking water standard of 3 ppb set by the Environmental Protection Agency, caused hermaphroditism and reduced the larynx size of male frogs. According to Hayes, Syngenta and EcoRisk tried to keep him working on atrazine privately, offering him as much as \$2-million in lab support under the auspices of a start-up company owned by his wife. Hayes refused the offer and began replicating the Syngenta-funded studies using independent funds. Soon after breaking ties with EcoRisk and Syngenta, Hayes claims that Syngenta threaten to pull all of UC Berkeley's pharmaceutical and medical funding provided by Syngenta's sister company Novartis Inc. if they tenured Hayes. Despite the ostensible threat, UC Berkeley did eventually tenure Hayes.

At a similar time, in the early 2000s, Krista McCoy began a PhD program at the University of Florida in the laboratory of Dr. Tim Gross, a paid EcoRisk consultant. Krista began a mesocosm study examining the effects of atrazine on amphibians. She came in one morning to discover that Gross had ordered the University of Florida's physical facilities to pick up McCoy's mesocosms with a forklift and move them all directly under the roofline of a large nearby building. McCoy was convinced that the mesocosms were moved so they would receive the entire roof's worth of rain, unrealistically diluting the atrazine. McCoy suspended her atrazine work and switched to laboratory of Dr. Louis Guillette, who confirmed McCoy's story. Dr. Gross was eventually let go from the University of Florida.

In February of 2002, Dr. Jason Rohr, was hired at the University of Kentucky to study the effects of atrazine on amphibians. In April of 2002, soon after Rohr was hired, Dr. Hayes published his studies repeating the work he originally conducted for Syngenta (Hayes et al., 2002b). This work was published in the prestigious *Proceedings of the National Academy of Sciences of the United States of the America (PNAS)*, and showed that very low levels of atrazine reduced the larynx size of male frogs and caused male frogs to develop female gonads. According to Hayes, editors at the prestigious journal *Nature* then commissioned him to write a follow-up article on field patterns of atrazine and amphibian gonadal abnormalities that was published in *Nature* in October of 2002 (Hayes et al., 2002a).

In November of 2002, attorneys associated with the Center for Regulatory Effectiveness, the Kansas Corn Growers Association, and the Triazine Network (which receive financial support from Syngenta) argued that Hayes' studies did not conform with the 2001 Data Quality Act, which prohibits federal agencies from using scientific findings for which there are no established standards. Their petition successfully blocked the US EPA from considering Hayes' work and atrazine was re-registered for use in October of 2003. Ironically, this was the same month that the European Union banned atrazine because of ubiquitous and unpreventable water contamination (Sass and Colangelo, 2006). Because of this petition and the Data Quality Act, the EPA had to revise its Environmental Risk Assessment policies, so that hormone disruption would not be a legitimate reason for restricting the use of a chemical until "appropriate testing protocols have been established" (Sass and Devine, 2004). The Data Quality Act has been used widely by industry to block unwanted regulations and as a broader assault on academic freedom (Michaels and Monforton, 2005; Rohr and McCoy, 2010a).

Since leaving EcoRisk and Syngenta in 2000, the relationship between Hayes and Syngenta representatives became further strained. In 2003, Hayes received a job offer from Duke University and made a second visit to the campus. Duke University is close to Syngenta Crop Protection headquarters in Greensboro, North Carolina and to Syngenta's research facility in Research Triangle Park, North Carolina. Once Syngenta found out about the offer, they contacted administrators at Duke. Soon after, Duke University withdrew the offer to Hayes. According to subpoenaed documents revealed in a lawsuit (see later), by interfering with Hayes' job offer, Syngenta was attempting to protect their reputation in their local community and among their employees (Howard, 2013a). In October of 2003, The Chronicle of Higher Education published a lengthy article on the damaged relationship between Hayes and Syngenta and the price Hayes had to pay to publish his research (Blumenstyk, 2003).

### Tensions Rise

In November of 2003, there was an organized oral session on the effects of atrazine on amphibians at the North American Society for Environmental Toxicology and Chemistry meetings in Austin, TX. In attendance were Hayes, Rohr, several EPA representatives, and Syngenta- and EcoRisk-funded scientists, including Ronald Kendall, the head of the EcoRisk panel coordinating the investigation of atrazine for Syngenta, and Keith Solomon, a long-time Syngenta-funded academic. There was standing room only. Much to the surprise of all, Hayes presented no data. Rather, he presented only emails ostensibly incriminating the EPA and Syngenta associates of colluding to ensure the re-registration of atrazine. Rohr presented his first talk ever on atrazine immediately after Hayes, quite surprised and intimidated by what just transpired. Because of Hayes' bold presentation, SETAC had to hire extra security for their North American Meetings for several years to come. In December of 2004, Hayes continued to keep a target on Syngenta, publishing an article with colleagues in *BioScience* reporting that the single best predictor of whether or not the herbicide atrazine had a significant effect in a study was whether Syngenta funded it (Hayes, 2004). That result was highly significant by the usual statistical measures. In 2005, in a lawsuit against the EPA, the Natural Resources Defense Council obtained documents revealing that agency officials met privately with Syngenta more than 40 times while evaluating the toxicity of atrazine (Slater, 2012).

Hayes and colleagues' assault on Syngenta was getting intense and Syngenta began to even more vigorously fight back. In 2005, Syngenta began spending millions on a Hayes "smear campaign" where they came up with a long list of methods for discrediting him, such as "have his work audited by 3rd party," "ask journals to retract his science," "set trap to entice him to sue," "investigate

funding," and "investigate wife" (Howard, 2013a; Aviv, 2014). They even bought the worldwide web search results for his name so they could better control what the public read about Hayes and atrazine (Howard, 2013a; Aviv, 2014). Although Hayes suspected much of this, it was not verified until this smear campaign became public in 2012 when thousands of Syngenta documents were subpoenaed in a lawsuit (Howard, 2013a) (see later).

Rohr became a bigger target than before in 2008 when he and colleagues published a paper in *Nature* showing that atrazine increased infectious disease risk in a declining amphibian species by reducing frog immunity and increasing its exposure to parasitic trematodes pathogen (Rohr et al., 2008c). In November of 2008, in response to an accumulation of papers on atrazine and amphibians, Keith Solomon and colleagues, with financial support from Syngenta, published a paper in *Critical Reviews in Toxicology* entitled "Effects of atrazine on fish, amphibians, and aquatic reptiles: a critical review" (Solomon et al., 2008). This article purported to accurately review the effects of atrazine on the behavior, growth, survival, physiology, endocrinology, gonadal morphology, immunity, and infectious disease risk of amphibians. Rohr, a second year professor at the University of South Florida, eagerly read the review paper but did not recall the primary literature the same way as it was described by Solomon et al. (2008). Around the same time, Krista McCoy, an eventual postdoctoral research associate in Rohr's laboratory, expressed to Rohr that she too did not agree with Solomon et al.'s depiction of the primary literature on atrazine. Hence, Rohr and McCoy collaborated to quantify the inaccurate representations of primary literature in the Syngenta-funded Solomon et al. (2008) article, as well as conduct their own objective metaanalysis of the literature to set the record straight.

While Rohr and McCoy worked on their analyses, the heat on atrazine continued to build. In August of 2009, *The New York Times* investigation found that 33 million Americans were exposed to atrazine through drinking water and, later, data from the EPA showed that atrazine contamination exceeded the federal limit in 9 out of 10 Midwestern states monitoring it. Several of these water districts reported between 9 and 18 times the federal limit, levels linked to birth defects, premature birth, and low birth weight (Slater, 2012).

### The Controversy Really Escalates in 2010

In January of 2010, Hayes et al. published an elegant experiment in *PNAS* (Hayes et al., 2010) where they exposed a laboratory population of all genetically male frogs to low levels of atrazine and showed that these males were both demasculinized (chemically castrated) and completely feminized as adults. Atrazine-exposed genetic males suffered from depressed testosterone, decreased breeding gland size, feminized laryngeal development, suppressed mating behavior, reduced spermatogenesis, and decreased fertility. Additionally, 10% of these males developed into functional females that copulated with unexposed males and produced viable eggs.

During the early months of 2010, Rohr and McCoy completed their assessment of the Solomon et al. (2008) article and set the record straight with their own metaanalysis (Rohr and McCoy, 2010b). Rohr and McCoy revealed that the Syngenta-funded review by Solomon et al. (2008) had arguably misrepresented over 50 studies and had 122 inaccurate and 22 misleading statements. Of these 144 seemingly inaccurate or misleading statements, 96.5% appeared to be beneficial for Syngenta in that they supported the safety of the chemical (Rohr and McCoy, 2010a). In addition, Solomon et al. (2008) cast doubts on the validity of 94% of the 63 presented cases where atrazine had adverse effects, whereas they almost never criticized the 70 cases where there were no effects of atrazine at environmentally relevant concentrations (Rohr and McCoy, 2010a). Rohr and McCoy then conducted a qualitative metaanalysis on the same data analyzed by Solomon et al. (2008) and the general conclusions were the same regardless of whether they excluded studies based on clear quality criteria or included all studies (Rohr and McCoy, 2010b). They showed that atrazine regularly disrupted the timing of amphibian metamorphosis, reduced size at or near metamorphosis, altered amphibian motor activity and antipredator behaviors, reduced olfactory abilities, diminished immune function, increased infection end points, and altered aspects of gonadal morphology and function and sex hormone concentrations, but did not directly affect amphibian survival (Rohr and McCoy, 2010b). These two studies were submitted as companion papers to *Environmental Health Perspectives*. The metaanalysis was published there (Rohr and McCoy, 2010b) but the editor refused to even review the paper on the conflicts of interest, inaccuracies, and bias of the Solomon et al. (2008) paper. After four additional cases where editors did not send the paper out for review, in many cases fearing the controversy, Rohr and McCoy put a conservation angle on the conflicts of interest paper and published it in *Conservation Letters* (Rohr and McCoy, 2010a). There was surprisingly little push back from Syngenta on these papers. In fact, according to subpoenaed documents, Syngenta representatives prepared their funded scientists on how to respond to difficult questions about these studies, describing the metaanalysis as a "rigorous and comprehensive review."

In July of 2010, Danielle Ivory of the Huffington Post Investigative Fund reported that fewer than 20% of the papers the EPA relied upon in its past decision-making on atrazine were peer-reviewed. Additionally, at least half were conducted by scientists with a financial stake in atrazine (Ivory, 2009, 2010). This investigation raised additional concerns over the decision-making process on the safety of atrazine.

In August of 2010, Syngenta struck back against Hayes. They released a 102-page PDF file documenting offensive and potentially embarrassing emails sent by Hayes to Syngenta representatives over the years. In these emails, Hayes had used profanities and sexual taunts, and aggressive, salacious, lewd, and insulting language. The NY Times wrote a story about the emails (Schor, 2010) and republished the PDF file ([http://www.atrazine.com/amphibians/combined\\_large\\_pdf-r-opt.pdf](http://www.atrazine.com/amphibians/combined_large_pdf-r-opt.pdf)). The emails were also covered by *Nature* (Dalton, 2010). These emails made it clear that the unprofessionalism and questionable decision making was occurring by both parties. Dashka Slater provided the following quote in her Mother Jones article to describe these emails "His [Hayes]

irreverence had always been an asset, attracting attention to atrazine just as Rachel Carson's impassioned lyricism drew attention to DDT. But now irreverence had tipped toward irrationality." (Slater, 2012). Based on these emails, Syngenta issued a formal ethics complaint filed at the University of California Berkeley. The university's chief counsel ruled that no ethics violation had occurred but admonished both sides to behave.

In 2010, a class-action lawsuit against Syngenta picked up steam. The lawsuit, originally filed in 2004 by Holiday Shores Sanitary District, grew and eventually included more than 1000 community water systems in Illinois, Missouri, Kansas, Indiana, Iowa, and Ohio. The lawsuit, led by Stephen Tillery of the law firm Korein Tillery, LLC, was brought because Midwestern water treatment facilities often could not get atrazine concentrations in their drinking water below the US EPA maximum contaminant level deemed safe for human consumption (3 ppb). Rohr passed on testifying in the case, whereas Hayes did testify and Stephen Tillery stated that Hayes' work gave them the scientific basis for the lawsuit.

In 2012, the lawsuit vigorously continued until the integrity of an important witness for Korein Tillery (someone other than Hayes) was questioned after illicit behaviors were allegedly uncovered. Soon after, Tillery and associates settled the suit but Syngenta denied all wrongdoing and did not claim any liability. Syngenta paid \$105 million to reimburse more than a thousand Midwestern water utilities for the cost of filtering atrazine from drinking water. When lawyer fees were removed, this amounted to well under \$100,000 per water treatment plant.

### Revelations From the Lawsuit and the EPA Scientific Advisory Panel

The most important outcome of the lawsuit was not the settlement but the Syngenta documents that became "unsealed" by the Madison County Circuit Court in response to a Freedom of Information Act request by the courageous investigative reporting conducted by Clare Howard of 100Reporters. The 1000 or so pages of memos, notes, and emails that Clare received exposed Syngenta's tactics and efforts to conceal and discredit the science on atrazine. They revealed that Hayes was not paranoid after all and that Syngenta was indeed behind a campaign to smear him and his reputation. The subpoenaed documents revealed that one of the company's strategies had been to purchase "Tyrone Hayes" as a search word on the internet, so that any time someone searches for Tyrone's material, the first thing they see is our material. Syngenta later also purchased the phrases "amphibian hayes," "atrazine frogs," and "frog feminization" and searching online for "Tyrone Hayes" for years before the settlement brought up an advertisement that said, "Tyrone Hayes Not Credible." The documents revealed that Syngenta invested in a multimillion-dollar campaign to protect atrazine profits, which included hiring a detective agency to investigate scientists on a federal advisory panel, looking into the personal life of a judge, and discrediting and distracting Hayes. These documents also listed other strategies directed at Hayes, such as "commissioning a psychological profile, have his work audited by 3rd party, ask journals to retract, set trap to entice him to sue, investigate funding, investigate wife, tracking him at speaking engagements, baiting him through emails", and interfering with Hayes' job offer at Duke. Syngenta would send representatives to talks Hayes gave to question and embarrass him. Rohr too had similar experiences. The documents also revealed that Syngenta kept a list of 130 people and groups it could recruit as experts, including academics, without disclosing ties to the company (see <https://www.documentcloud.org/documents/686401-100reporters-syngenta-clare-howard-investigation.html> for the list). It often paid members of this group to write opeds and other articles. According to Jayne Thompson from Jayne Thompson & Associates, a public relations firm hired to work on the Syngenta campaign, "These are great clips for us because they get out some of our messages from someone who comes off sounding like an unbiased expert. Another strength is that the messages do not sound like they came from Syngenta." Clare Howard summarizes her investigative reporting on these documents in a groundbreaking article published in June of 2013 in a 100Reporters (Howard, 2013a). Unfortunately, these documents did not get considerable press until February of 2014 when the more well-known magazine *The New Yorker* released an article on atrazine, Hayes, and the uncovered Syngenta documents (Aviv, 2014). The original *New Yorker* article inexplicably did not acknowledge any of Clare's seminal investigative work (Aviv, 2014).

Ironically, as the class-action lawsuit was being settled, so too were the policy decisions on the safety of atrazine to amphibians. The EPA had convened a scientific advisory panel to assess the effects of atrazine on amphibians and originally offered Rohr to be a member on this panel. The EPA then rescinded this offer because Rohr's work would serve too prominently in panel discussions. The EPA then recruited Dr. Michelle Boone to take Rohr's place. The USEPA concluded that "exposure to atrazine at concentrations ranging from 0.01 to 100 [milligrams per liter] had no effect on *Xenopus laevis* [an amphibian species] development (which included survival, growth, metamorphosis, and sexual development)" (p. 60) and that the "level of concern for effects on aquatic plant communities . . . was lower than the atrazine concentration observed to produce significant direct or indirect effects on invertebrates, fish, and amphibians" (USEPA, 2012), which would eliminate further assessments of atrazine's impacts on amphibians despite significant effects at these concentrations in other studies. The EPA's conclusion that atrazine does not adversely affect amphibians, however, was based on a single published study that was funded by Syngenta, despite there being hundreds of studies on atrazine. Several members of the scientific advisory panel argued that a decision on the safety of atrazine should not be made based on any single study, especially one funded by the company with a financial stake in the product. In fact, after finishing her work on the scientific advisory panel, Boone collaborated with Rohr and other colleagues to write articles denouncing the use of a single industry-funded study to evaluate the adverse effects of atrazine, or for that matter, any chemical (Boone et al., 2014; Boone and Rohr, 2015).

In April of 2014, Rohr, Hayes, and Solomon appeared on 16x9, a Canadian National Television primetime news show similar to 60 Minutes, 20/20, or Dateline in the United States (<http://globalnews.ca/video/1252483/full-story-pesticide-peril>). The story was produced by Gil Shochat and summarizes the story of the amphibian-atrazine controversy. It also offers an interview with a former Syngenta staffer who describes Syngenta's internal strategies for discrediting scientists.

### Three Additional Surprising Twists

In August of 2014, UC Berkeley shut down Hayes' amphibian research because Hayes did not have sufficient funds to pay for his vertebrate animal care. Hayes claimed that his lab fees had gone up by 295% since 2004, while fees for his colleagues at UC Berkeley had risen by only 15% (Howard, 2013b). The director of the office of laboratory-animal care apparently provided evidence that Hayes was being charged according to standard campus-wide rates that increased for most researchers in recent years. Nevertheless, Hayes recruited Stephen Tillery to represent him in a lawsuit against UC Berkeley claiming that his vertebrate animal care fees were essentially preventing him from doing his job. The status of this case is currently unclear.

In 2016, after the damaging press of the unsealed court documents, Syngenta announced that it was set to be acquired by Chinese state-owned ChemChina (Spegele and Chu, 2016). However, Syngenta and ChemChina missed the European Union's deadline for submission of antitrust remedies (Blackstone and Drozdiak, 2016), raising questions regarding whether they will be able to satisfactorily deal with the antitrust concerns. It remains unclear whether the deal will happen and if the tactics of Syngenta will change if the sale occurs.

In May 2007, the Center for Biological Diversity filed a lawsuit against the EPA for violating the Endangered Species Act by registering and allowing the use of many pesticides without determining whether the chemicals jeopardized endangered species in the San Francisco Bay. A federal court then signed an injunction, imposing interim restrictions on the use of 75 pesticides in the Bay Area. This in turn required that the EPA formally evaluate the effects of those chemicals on endangered species. In June of 2015, the EPA announced that it would analyze the effects of glyphosate (active ingredient in the herbicide Roundup) and atrazine on 1500 endangered plants and animals (Beyond\_Pesticides, 2015). Likely as a result of this court order, the EPA re-evaluated atrazine and, apparently in error, released a report of its findings online in April of 2016, a presidential election year. This sparked criticism from Syngenta and US lawmakers (Polansek, 2016).

In perhaps the most surprising twist of all, the EPA seemed to reverse its position on the safety of atrazine in this "inadvertently" released reassessment of atrazine. Despite the EPA concluding that atrazine was safe for over four decades, the new and refined risk assessment (Farruggia et al., 2016) states the following: *Based on the results from hundreds of toxicity studies on the effects of atrazine on plants and animals, over 20 years of surface water monitoring data, and higher tier aquatic exposure models, this risk assessment concludes that aquatic plant communities are impacted in many areas where atrazine use is heaviest, and there is potential chronic risk to fish, amphibians, and aquatic invertebrates in these same locations. In the terrestrial environment, there are risk concerns for mammals, birds, reptiles, plants and plant communities across the country for many of the atrazine uses. EPA levels of concern for chronic risk are exceeded by as much as 22, 198, and 62 times for birds, mammals, and fish, respectively. For aquatic phase amphibians, a weight of evidence analysis concluded there is potential for chronic risks to amphibians based on multiple effects endpoint concentrations compared to measured and predicted surface water concentrations . . . average atrazine concentrations in water at or above 5 µg/L for several weeks are predicted to lead to reproductive effects in fish, while a 60-day average of 3.4 µg/L has a high probability of impacting aquatic plant community primary productivity, structure and function.* It remains unclear why the EPA changed its opinion on the safety of atrazine, how the report was "inadvertently released," and what its consequences will be. However, if there is one thing that I have learned about the science and policy decisions on atrazine, it is to expect the unexpected!

### References

- Allran JW and Karasov WH (2000) Effects of atrazine and nitrate on northern leopard frog (*Rana pipiens*) larvae exposed in the laboratory from posthatch through metamorphosis. *Environmental Toxicology and Chemistry* 19: 2850–2855.
- Allran JW and Karasov WH (2001) Effects of atrazine on embryos, larvae, and adults of anuran amphibians. *Environmental Toxicology and Chemistry* 20: 769–775.
- Aviv R (2014) A valuable reputation. *The New Yorker*, <http://www.newyorker.com/magazine/2014/2002/2010/a-valuable-reputation>.
- Baxter LR, Moore DL, Sibley PK, et al. (2011) Atrazine does not affect algal biomass or snail populations in microcosm communities at environmentally relevant concentrations. *Environmental Toxicology and Chemistry* 30: 1689–1696.
- Beyond\_Pesticides (2015) Atrazine and glyphosate to be analyzed by EPA for impacts on 1,500 endangered species. Daily New Blog. *Beyond Pesticides*, <http://beyondpesticides.org/dailynewsblog/2015/06/atrazine-and-glyphosate-to-be-analyzed-by-epa-for-impacts-on-1500-endangered-species/>.
- Blackstone B and Drozdiak N (2016) Syngenta and ChemChina miss EU deadline for antitrust remedies. *The Wall Street Journal*, New York. <http://www.wsj.com/articles/syngenta-and-chemchina-miss-eu-antitrust-deadline-for-merger-1477304119>.
- Blumenstyk G (2003) The price of research: a Berkeley scientist says a corporate sponsor tried to bury his unwelcome findings and then buy his silence. *The Chronicle of Higher Education* 50: A26. <http://www.chronicle.com/article/The-Price-of-Research/21691/>.
- Boone MD and James SM (2003) Interactions of an insecticide, herbicide, and natural stressors in amphibian community mesocosms. *Ecological Applications* 13: 829–841.
- Boone MD and Rohr JR (2015) The trouble with risk assessment lies at the foundation. *Bioscience* 65: 227–228.
- Boone MD, Bishop CA, Boswell LA, et al. (2014) Pesticide regulation amid the influence of industry. *Bioscience* 64: 917–922.
- Civitello DJ, Cohen J, Fatima H, et al. (2015) Biodiversity inhibits parasites: broad evidence for the dilution effect. *Proceedings of the National Academy of Sciences of the United States of America* 112: 8667–8671.
- Clements WH and Rohr JR (2009) Community responses to contaminants: using basic ecological principles to predict ecotoxicological effects. *Environmental Toxicology and Chemistry* 28: 1789–1800.
- Cohen JM, Civitello DJ, Brace AJ, et al. (2016) Spatial scale modulates the strength of ecological processes driving disease distributions. *Proceedings of the National Academy of Sciences of the United States of America* 113: E3359–E3364.
- Dalton R (2010) E-mails spark ethics row. *Nature* 466: 913.
- De Laender F, Rohr JR, Ashauer R, et al. (2016) Re-introducing environmental change drivers in biodiversity-ecosystem functioning research. *Trends in Ecology and Evolution* 12: 905–915.
- de Noyelles F, Kettle WD, Fromm CH, et al. (1989) Use of experimental ponds to assess the effects of a pesticide on the aquatic environment. In: Voshell JR (ed.) *Using mesocosms to assess the aquatic ecological risk of pesticides: theory and practice*, pp. 41–56. Lanham, MD: Entomological Society of America.

- Dobson A, Cattadori I, Holt RD, et al. (2006) Sacred cows and sympathetic squirrels: the importance of biological diversity to human health. *PLOS Medicine* 3: 714–718.
- Douglas MR, Rohr JR, and Tooker JF (2015) Neonicotinoid insecticide travels through a soil food chain, disrupting biological control of non-target pests and decreasing soya bean yield. *Journal of Applied Ecology* 52: 250–260.
- Ehram M, Knutie SA, and Rohr JR (2016) The herbicide atrazine induces hyperactivity and compromises tadpole detection of predator chemical cues. *Environmental Toxicology and Chemistry* 35: 2239–2244.
- Fan WQ, Yanase T, Morinaga H, et al. (2007) Atrazine-induced aromatase expression is SF-1 dependent: implications for endocrine disruption in wildlife and reproductive cancers in humans. *Environmental Health Perspectives* 115: 720–727.
- Farrugia FT, Rossmelst CM, Hetrick JA, et al. (2016) *Refined ecological risk assessment for atrazine*. Washington, DC: US Environmental Protection Agency, Office of Pesticide Programs.
- Forsion D and Storfer A (2006a) Effects of atrazine and iridovirus infection on survival and life-history traits of the long-toed salamander (*Ambystoma macrodactylum*). *Environmental Toxicology and Chemistry* 25: 168–173.
- Forsion DD and Storfer A (2006b) Atrazine increases ranavirus susceptibility in the tiger salamander, *Ambystoma tigrinum*. *Ecological Applications* 16: 2325–2332.
- Gabor CR, Roznik EA, Knutie SA, et al. (2016) Does corticosterone mediate the negative effects of atrazine and *Batrachochytrium dendrobatidis* on growth and survival? *Integrative and Comparative Biology* 56: E70.
- Gendron AD, Bishop CA, Fortin R, et al. (1997) In vivo testing of the functional integrity of the corticosterone-producing axis in mudpuppy (amphibia) exposed to chlorinated hydrocarbons in the wild. *Environmental Toxicology and Chemistry* 16: 1694–1706.
- Grube A, Donaldson D, Kiely T, et al. (2011) *Pesticide industry sales and usage: 2006 and 2007 market estimates*. Washington, DC: U.S. Environmental Protection Agency.
- Halstead NT, McMahon TA, Johnson SA, et al. (2014) Community ecology theory predicts the effects of agrochemical mixtures on aquatic biodiversity and ecosystem properties. *Ecology Letters* 17: 932–941.
- Hayes TB (2003) Alteration of the hormonal milieu following atrazine exposure: what do amphibian studies tell us about humans? *Biology of Reproduction* 68: 103.
- Hayes TB (2004) There is no denying this: defusing the confusion about atrazine. *Bioscience* 54: 1138–1149.
- Hayes T, Haston K, Tsui M, et al. (2002a) Herbicides: feminization of male frogs in the wild. *Nature* 419: 895–896.
- Hayes TB, Collins A, Lee M, et al. (2002b) Hermaphroditic, demasculinized frogs after exposure to the herbicide atrazine at low ecologically relevant doses. *Proceedings of the National Academy of Sciences of the United States of America* 99: 5476–5480.
- Hayes T, Haston K, Tsui M, et al. (2003) Atrazine-induced hermaphroditism at 0.1 ppb in American leopard frogs (*Rana pipiens*): laboratory and field evidence. *Environmental Health Perspectives* 111: 568–575.
- Hayes TB, Case P, Chui S, et al. (2006) Pesticide mixtures, endocrine disruption, and amphibian declines: are we underestimating the impact? *Environmental Health Perspectives* 114: 40–50.
- Hayes TB, Khoury V, Narayan A, et al. (2010) Atrazine induces complete feminization and chemical castration in male African clawed frogs (*Xenopus laevis*). *Proceedings of the National Academy of Sciences of the United States of America* 107: 4612–4617.
- Herman D, Kaushik NK, and Solomon KR (1986) Impact of atrazine on periphyton in fresh-water enclosures and some ecological consequences. *Canadian Journal of Fisheries and Aquatic Sciences* 43: 1917–1925.
- Howard C (2013a) *Pest control: Syngenta's Secret Campaign to Discredit Atrazine's Critics*. <https://100r.org/2013/2006/pest-control-syngentas-secret-campaign-to-discredit-atrazines-critics/> in 100Reporters, editor.
- Howard C (2013b) *Tillery to represent Hayes against UC Berkeley in dispute over lab fees*. <https://100r.org/2013/2008/excessive-lab-fees-choking-research-scientist-says/> in 100Reporters, editor.
- Ivory D (2009) EPA fails to inform public about weed-killer in drinking water. *The Huffington Post*, [http://www.huffingtonpost.com/2009/08/2023/epa-fails-to-inform-publi\\_n\\_266686.html](http://www.huffingtonpost.com/2009/08/2023/epa-fails-to-inform-publi_n_266686.html).
- Ivory D (2010) *Is weed killer in drinking water dangerous? Govt. is letting the chemical industry come up with the answer*, in Alternet.org, editor.
- Kerby JL and Storfer A (2009) Combined effects of atrazine and chlorpyrifos on susceptibility of the tiger salamander to *Ambystoma tigrinum* virus. *EcoHealth* 6: 91–98.
- Kiesecker JM (2002) Synergism between trematode infection and pesticide exposure: a link to amphibian limb deformities in nature? *Proceedings of the National Academy of Sciences of the United States of America* 99: 9900–9904.
- Knutson MG, Richardson WB, Reineke DM, et al. (2004) Agricultural ponds support amphibian populations. *Ecological Applications* 14: 669–684.
- Koprivnikar J (2010) Interactions of environmental stressors impact survival and development of parasitized larval amphibians. *Ecological Applications* 20: 2263–2272.
- Landis WG, Rohr JR, Moe SJ, et al. (2014) Global climate change and contaminants, a call to arms not yet heard? *Integrated Environmental Assessment and Management* 10: 483–484.
- Langerveld AJ, Celestine R, Zaya R, et al. (2009) Chronic exposure to high levels of atrazine alters expression of genes that regulate immune and growth-related functions in developing *Xenopus laevis* tadpoles. *Environmental Research* 109: 379–389.
- Larson DL, McDonald S, Fivizzani AJ, et al. (1998) Effects of the herbicide atrazine on *Ambystoma tigrinum* metamorphosis: duration, larval growth, and hormonal response. *Physiological Zoology* 71: 671–679.
- Li Y, Cohen JM, and Rohr JR (2013) Review and synthesis of the effects of climate change on amphibians. *Integrative Zoology* 8: 145–161.
- Liu X, Rohr JR, and Li YM (2013) Climate, vegetation, introduced hosts and trade shape a global wildlife pandemic. *Proceedings of the Royal Society B: Biological Sciences* 280: 20122506. <https://doi.org/10.1098/rspb.2012.2506>.
- Lurling M and Scheffer M (2007) Info-disruption: pollution and the transfer of chemical information between organisms. *Trends in Ecology & Evolution* 22: 374–379.
- Madliger CL, Cooke SJ, Crespi EJ, et al. (2016) Success stories and emerging themes in conservation physiology. *Conservation Physiology* 4: .
- Martin LB, Hopkins WA, Mydlarz LD, et al. (2010) The effects of anthropogenic global changes on immune functions and disease resistance. Year in Ecology and Conservation Biology. *Annals of the New York Academy of Sciences* 1195: 129–148. <https://doi.org/10.1111/j.1749-6632.2010.05454.x>.
- McMahon TA, Halstead NT, Johnson S, et al. (2011) The fungicide chlorothalonil is nonlinearly associated with corticosterone levels, immunity, and mortality in amphibians. *Environmental Health Perspectives* 119: 1098–1103.
- McMahon TA, Halstead NT, Johnson S, et al. (2012) Fungicide-induced declines of freshwater biodiversity modify ecosystem functions and services. *Ecology Letters* 15: 714–722.
- McMahon TA, Romansic JM, and Rohr JR (2013) Nonmonotonic and monotonic effects of pesticides on the pathogenic fungus *Batrachochytrium dendrobatidis* in culture and on tadpoles. *Environmental Science & Technology* 47: 7958–7964.
- McMahon TA, Sears BF, Venesky MD, et al. (2014) Amphibians acquire resistance to live and dead fungus overcoming fungal immunosuppression. *Nature* 511: 224–227.
- McMahon TA, Boughton RK, Martin LB, et al. (2017) Exposure to the herbicide atrazine nonlinearly affects tadpole corticosterone levels. *Journal of Herpetology* (in press).
- Michaels D and Monforton C (2005) Manufacturing uncertainty: contested science and the protection of the public's health and environment. *American Journal of Public Health* 95: S39–S48.
- Moore A and Waring CP (1998) Mechanistic effects of a triazine pesticide on reproductive endocrine function in mature male Atlantic salmon (*Salmo salar* L.) parr. *Pesticide Biochemistry and Physiology* 62: 41–50.
- Polansek T (2016) Widely used U.S. farm chemical atrazine may threaten animals: EPA. <http://www.reuters.com/article/us-usa-epa-atrazine-idUSKCN0Y02X9> Reuters, <http://www.reuters.com/article/us-usa-epa-atrazine-idUSKCN0Y02X9>.
- Raffel TR, Sheingold JL, and Rohr JR (2009) Lack of pesticide toxicity to *Echinostoma trivolvis* eggs and miracidia. *Journal of Parasitology* 95: 1548–1551.
- Raffel TR, Hoverman JT, Halstead NT, et al. (2010) Parasitism in a community context: trait-mediated interactions with competition and predation. *Ecology* 91: 1900–1907.
- Raffel TR, Halstead NT, McMahon T, et al. (2013) Disease and thermal acclimation in a more variable and unpredictable climate. *Nature Climate Change* 3: 146–151.

- Rohr JR and Crumrine PW (2005) Effects of an herbicide and an insecticide on pond community structure and processes. *Ecological Applications* 15: 1135–1147.
- Rohr JR and McCoy KA (2010a) Preserving environmental health and scientific credibility: a practical guide to reducing conflicts of interest. *Conservation Letters* 3: 143–150.
- Rohr JR and McCoy KA (2010b) A qualitative meta-analysis reveals consistent effects of atrazine on freshwater fish and amphibians. *Environmental Health Perspectives* 18: 20–32.
- Rohr JR and Palmer BD (2005) Aquatic herbicide exposure increases salamander desiccation risk eight months later in a terrestrial environment. *Environmental Toxicology and Chemistry* 24: 1253–1258.
- Rohr JR and Palmer BD (2013) Climate change, multiple stressors, and the decline of ectotherms. *Conservation Biology* 27: 741–751.
- Rohr JR and Raffel TR (2010) Linking global climate and temperature variability to widespread amphibian declines putatively caused by disease. *Proceedings of the National Academy of Sciences of the United States of America* 107: 8269–8274.
- Rohr JR, Elskus AA, Shepherd BS, et al. (2003) Lethal and sublethal effects of atrazine, carbaryl, endosulfan, and octylphenol on the streamside salamander, *Ambystoma barbouri*. *Environmental Toxicology and Chemistry* 22: 2385–2392.
- Rohr JR, Elskus AA, Shepherd BS, et al. (2004) Multiple stressors and salamanders: effects of an herbicide, food limitation, and hydroperiod. *Ecological Applications* 14: 1028–1040.
- Rohr JR, Kerby JL, and Sih A (2006a) Community ecology as a framework for predicting contaminant effects. *Trends in Ecology & Evolution* 21: 606–613.
- Rohr JR, Sager T, Sesterhenn TM, et al. (2006b) Exposure, postexposure, and density-mediated effects of atrazine on amphibians: breaking down net effects into their parts. *Environmental Health Perspectives* 114: 46–50.
- Rohr JR, Raffel TR, Romansic JM, et al. (2008a) Evaluating the links between climate, disease spread, and amphibian declines. *Proceedings of the National Academy of Sciences of the United States of America* 105: 17436–17441.
- Rohr JR, Raffel TR, Sessions SK, et al. (2008b) Understanding the net effects of pesticides on amphibian trematode infections. *Ecological Applications* 18: 1743–1753.
- Rohr JR, Schotthoefer AM, Raffel TR, et al. (2008c) Agrochemicals increase trematode infections in a declining amphibian species. *Nature* 455: 1235–1239.
- Rohr JR, Swan A, Raffel TR, et al. (2009) Parasites, info-disruption, and the ecology of fear. *Oecologia* 159: 447–454.
- Rohr JR, Raffel TR, and Hall CA (2010) Developmental variation in resistance and tolerance in a multi-host-parasite system. *Functional Ecology* 24: 1110–1121.
- Rohr JR, Sesterhenn TM, and Stieha C (2011) Will climate change reduce the effects of a pesticide on amphibians?: Partitioning effects on exposure and susceptibility to pollution. *Global Change Biology* 17: 657–666.
- Rohr JR, Halstead NT, and Raffel TR (2012) The herbicide atrazine, algae, and snail populations. *Environmental Toxicology and Chemistry* 31: 973–974.
- Rohr JR, Johnson P, Hickey CW, et al. (2013a) Implications of global climate change for natural resource damage assessment, restoration, and rehabilitation. *Environmental Toxicology and Chemistry* 32: 93–101.
- Rohr JR, Raffel TR, Blaustein AR, et al. (2013b) Using physiology to understand climate-driven changes in disease and their implications for conservation. *Conservation Physiology* 1. <https://doi.org/10.1093/conphys/cot1022>.
- Rohr JR, Raffel TR, Halstead NT, et al. (2013c) Early-life exposure to a herbicide has enduring effects on pathogen-induced mortality. *Proceedings of the Royal Society B: Biological Sciences* 280: 20131502.
- Rohr JR, Civitello DJ, Crumrine PW, et al. (2015) Predator diversity, intraguild predation, and indirect effects drive parasite transmission. *Proceedings of the National Academy of Sciences of the United States of America* 112: 3008–3013.
- Rohr JR, Salice CJ, and Nisbet RM (2016) The pros and cons of ecological risk assessment based on data from different levels of biological organization. *Critical Reviews in Toxicology* 46: 756–784.
- Sass JB and Colangelo A (2006) European Union bans atrazine, while the United States negotiates continued use. *International Journal of Occupational and Environmental Health* 12: 260–267.
- Sass JB and Devine JP (2004) The center for regulatory effectiveness invokes the data quality act to reject published studies on atrazine toxicity. *Environmental Health Perspectives* 112: A18.
- Schor E (2010) Enviro Groups Cheer as scientist bombards agribusiness with profane e-mails. *The New York Times*, E&E Publishing, New York. <http://www.nytimes.com/gwire/2010/2008/2026/2026greenwire-enviro-groups-cheer-as-scientist-bombards-agri-18199.html?pagewanted=all>.
- Schotthoefer AM, Rohr JR, Cole RA, et al. (2011) Effects of wetland vs. landscape variables on parasite communities of *Rana pipiens*: links to anthropogenic factors. *Ecological Applications* 21: 1257–1271.
- Sears BF, Snyder PW, and Rohr JR (2013) Infection deflection: hosts control parasite location with behaviour to improve tolerance. *Proceedings of the Royal Society B: Biological Sciences* 280: 20130759. <https://doi.org/10.1098/rspb.2013.0759>.
- Sears BF, Snyder PW, and Rohr JR (2015) Host life history and host-parasite syntopy predict behavioural resistance and tolerance of parasites. *Journal of Animal Ecology* 84: 625–636.
- Slater D (2012) The frog of war. *Mother Jones (January/February)*, <http://www.motherjones.com/environment/2011/2011/tyrone-hayes-atrazine-syngenta-feud-frog-endangered>.
- Solomon KR, Carr JA, Preez LHDu, et al. (2008) Effects of atrazine on fish, amphibians, and aquatic reptiles: a critical review. *Critical Reviews in Toxicology* 38: 721–772.
- Spegele B, and Chu K (2016) ChemChina-Syngenta \$43 billion deal approved by U.S. Security Panel. *The Wall Street Journal*, New York. <http://www.wsj.com/articles/u-s-security-watchdog-clears-43-billion-chemchina-syngenta-takeover-deal-1471844896>.
- Staley Z, Harwood VJ, and Rohr JR (2010) The effect of agrochemicals on indicator bacteria densities in outdoor mesocosms. *Environmental Microbiology* 12: 3150–3158.
- Staley ZR, Rohr JR, and Harwood VJ (2011) Test of direct and indirect effects of agrochemicals on the survival of fecal indicator bacteria. *Applied and Environmental Microbiology* 77: 8765–8774.
- Staley ZR, Senkbeil JK, Rohr JR, et al. (2012) Lack of direct effects of agrochemicals on zoonotic pathogens and fecal indicator bacteria. *Applied and Environmental Microbiology* 78: 8146–8150.
- Staley ZR, Rohr JR, Senkbeil JK, et al. (2014) Agrochemicals indirectly increase survival of *E. coli* O157:H7 and indicator bacteria by reducing ecosystem services. *Ecological Applications* 24: 1945–1953.
- Staley ZR, Harwood VJ, and Rohr JR (2015) A synthesis of the effects of pesticides on microbial persistence in aquatic ecosystems. *Critical Reviews in Toxicology* 45: 813–836.
- Storrs SI and Kiesecker JM (2004) Survivorship patterns of larval amphibians exposed to low concentrations of atrazine. *Environmental Health Perspectives* 112: 1054–1057.
- Tierney KB, Singh CR, Ross PS, et al. (2007) Relating olfactory neurotoxicity to altered olfactory-mediated behaviors in rainbow trout exposed to three currently-used pesticides. *Aquatic Toxicology* 81: 55–64.
- USEPA (2012) *Meeting of the FIFRA Scientific Advisory Panel on the problem formulation for the environmental fate and ecological risk assessment for atrazine*. Washington, DC: US Environmental Protection Agency.
- Vandenberg LN, Colborn T, Hayes TB, et al. (2012) Hormones and endocrine-disrupting chemicals: low-dose effects and nonmonotonic dose responses. *Endocrine Reviews* 33: 378–455.
- Venesky MD, Liu X, Sauer EL, et al. (2014a) Linking manipulative experiments to field data to test the dilution effect. *Journal of Animal Ecology* 83: 557–565.
- Venesky MD, Raffel TR, McMahon TA, et al. (2014b) Confronting inconsistencies in the amphibian-chytridiomycosis system: implications for disease management. *Biological Reviews* 89: 477–483.
- Wake DB and Vredenburg VT (2008) Are we in the midst of the sixth mass extinction? A view from the world of amphibians. *Proceedings of the National Academy of Sciences of the United States of America* 105: 11466–11473.
- Welshons WV, Thayer KA, Judy BM, et al. (2003) Large effects from small exposures. I. Mechanisms for endocrine-disrupting chemicals with estrogenic activity. *Environmental Health Perspectives* 111: 994–1006.